























Brushless Speed Controller Pricelis. AUD inc GST

sales & information pcapps@chariot.net.au

ESC for RC Air Model





Item No	products	cells	working Amp	Surge Amp (in 5s)	BEC	Data logging	Weight(in cl. wires)	Dimensions(m m)	SellAUD	PIC
HA61100L	100A-KIII pro-6S	3-6S Lipo	100amp	140amp	6V, max 5A	Yes	100g	80x34x17	62.91	
HA81100L	100A-KIII pro-8S	3-8S Lipo	100amp	140amp	6V, max 5A	Yes	100g	80x34x17	69.53	
HAE1160L	160A-KIII pro-HV	4-14S Lipo	160amp	220amp	Couple-OPTO	Yes	220g	108x54x26	246.66	
HAE1200L ₂	200A-KIII pro-HV V2 (new)	4-14S Lipo	200amp	250amp	Couple-OPTO	Yes	227g	95x55x28	263.21	
HAF0300L	Fulcrum Pro 300A-15S	4-15S	300amp	380amp	Couple-OPTO	NO	350g	119x73x26	322.80	
HAF1300L	Fulcrum Pro+ 300A-15S Version 2 (with built-in data logger)	4-15S	300amp	380amp	Couple-OPTO	Yes	350g	119x73x26	355.91	
HA10005F	5A-G-1S	1S Lipo	3amp	5amp	0.5A switching	No	2g	36x14x5	14.90	
HA30010F	10A-G-3S	2-3S Lipo	10amp	13amp	1A linear	No	11g	24x23x5	10.76	
HA30020F	20A-G-3S	2-3S Lipo	20amp	25amp	2A linear	No	20g	48x26x10	11.59	


HA30040F	40A-G-3S	2-3S Lipo	40amp	46amp	2A linear	No	23g	51×26×10	14.07	
HA60045F	45A-G-6S	2-6S Lipo	45amp	65amp	3.5A switching	No	40g	58×27×17	28.14	
HA60060F	60A-G-6S	2-6S Lipo	60amp	70amp	3.5A switching	No	46g	71×26.5×15	31.45	
HA60080F	80A-G-6S	2-6S Lipo	80amp	90amp	3.5A switching	No	47g	71×26.5×15	36.42	
HA31020F	20A-K-3S	2-3S Lipo	20amp	30amp	2A linear	Yes	23g	55×27×13	34.76	
HA31040F	40A-K-3S	2-3S Lipo	40amp	50amp	2A linear	Yes	25g	55×27×13	41.39	
HA61045F	45A-K-6S	2-6S Lipo	45amp	65amp	max 4A switching	Yes	40g	58×26×17	49.66	
HA61060F	60A-K-6S	2-6S Lipo	60amp	70amp	max 4A switching	Yes	50g	71×26.5×15	62.91	
HA61080F	80A-K-6S	2-6S Lipo	80amp	90amp	max 4A switching	Yes	52g	71×26.5×15	67.87	
HA61180L	180A-G II-6S	2-6S Lipo	180amp	190amp	3.5A switching	NO	153g	100×43×26	145.68	

HA80090L	90A-G II -8S	4-8S Lipo	90A	110amp	Couple-OPTO	No	107g	89×35×21	64.56	
HAC0075L	75A-G II -12S	4-12S Lipo	75amp	90amp	Couple-OPTO	No	107g	89×35×21	69.53	
HAC0120L	120A-G II -12S	4-12S Lipo	120amp	130amp	Couple-OPTO	No	153g	100×43×26	114.22	
HA80150L	150A-G II -8s	4-8S Lipo	150amp	170amp	Couple-OPTO	NO	153g	100×43×26	109.26	
HAC0220L	220A-G II -12S	4-12S Lipo	220amp	250amp	Couple-OPTO	NO	290g	110×61×25	246.66	
HAF0220L	220A-G II -15S	4-15S Lipo	220amp	250amp	Couple-OPTO	No	290g	110×61×25	274.80	
HAC1120L	120A-K II -12S	4-12S Lipo	120amp	150amp	Couple-OPTO	Yes	153g	100×43×26	147.33	
HA61100L	100A-K II -6S	2-6S Lipo	100amp	110amp	3.5A switching	Yes	107g	89×35×21	99.32	
HA61180L	180A-K II -6S	2-6S Lipo	180amp	190amp	3.5A switching	Yes	153g	100×43×23	145.68	
HA81090L	90A-K II -8S	4-8S Lipo	90A	110amp	Couple-OPTO	Yes	107g	89×35×21	96.01	










HA81150L	150A-KII-8S	4-8S Lipo	150amp	160amp	Couple-OPTO	Yes	153g	100×43×23	140.71	
HAC1075L	75A-KII-12S	4-12S Lipo	75amp	90amp	Couple-OPTO	Yes	107g	89×35×21	102.64	
HAC1120L	120A-KII-12S	4-12S Lipo	120amp	150amp	Couple-OPTO	Yes	153g	100×43×23	147.33	
HAF1220L	220A-KII-15S	4-15S Lipo	220amp	250amp	Couple-OPTO	Yes	290g	110×61×25	307.91	
HAF1220L	220A-KII-15S	4-15S Lipo	220amp	250amp	Couple-OPTO	Yes	290g	110×61×25	307.91	




ESC for Drone

HM6080F	80A-H-6S	3-6S Lipo	80amp	90amp	NO	NO	52g	78×26×12	38.07	
HM6060F	60A-H-6S	3-6S Lipo	60amp	80amp	NO	NO	39g	78×26×12	29.80	
HM4020F	20A-H-4S	3-4S Lipo	20amp	30amp	NO	No	15g	48×20×10	18.21	
Item No	products	Description				Weight(in cl. wires)	Dimensions(m m)	Sell AUD	PIC	
H#003	Hifei USB Linker	connector be used to connect ESC to PC for KII & KIII				6g	53×16×7	11.59		

H#008	Wifi Dongle	Wifi Dongle for KIII pro	6g	62.91	
-------	-------------	--------------------------	----	-------	--













Swordfish X ESC for boat **NEW ! ! !**




Item No	products	cells	working Amp	Surge Amp (in 5s)	BEC	Data logging	Weight(in cl. wires)	Dimensions(m m)	Sell AUD	Pic
HBX0220L WR	X 220A-6S (water-resistant)	2-6S Lipo	220amp	360amp	6V,5A switching	NO	240g	110x55x28	140.71	
HBX0200L WR	X 200A-8S (water-resistant)	4-8S Lipo	200amp	360amp	6V,5A switching	NO	240g	110x55x28	145.68	
HBX0300L WR	X 300A-14S (water-resistant)	4-14S Lipo	300amp	410amp	Couple-OPTO	NO	380g	150x70x29	304.59	
HBX0220L CW	X 220A-6S (completely water-proof)	2-6S Lipo	220amp	360amp	6V,5A switching	NO	249g	110x55x28	173.82	
HBX0200L CW	X 200A-8S (completely water-proof)	4-8S Lipo	200amp	360amp	6V,5A switching	NO	249g	110x55x28	178.78	
HBX0300L CW	X 300A-14S (completely water-proof)	4-14S Lipo	300amp	410amp	Couple-OPTO	NO	395g	150x70x29	329.43	
HBX1220L WR	X + 220A-6S (water-resistant)	2-6S Lipo	220amp	360amp	6V,5A switching	YES	240g	110x55x28	157.26	
HBX1200L WR	X + 200A-8S (water-resistant)	4-8S Lipo	200amp	360amp	6V,5A switching	YES	240g	110x55x28	162.23	
HBX1300L WR	X + 300A-14S (water-resistant)	4-14S Lipo	300amp	410amp	Couple-OPTO	YES	380g	150x70x29	337.70	

HBX1220L CW	X + 220A-6S (completely water-proof)	2-6S Lipo	220amp	360amp	6V,5A switching	YES	249g	110x55x28	190.37	
HBX1200L CW	X + 200A-8S (completely water-proof)	4-8S Lipo	200amp	360amp	6V,5A switching	YES	249g	110x55x28	195.34	
HBX1300L CW	X + 300A-14S (completely water-proof)	4-14S Lipo	300amp	410amp	Couple-OPTO	YES	395g	150x70x29	362.53	







Swordfish pro ESC for boat


Item No	products	cells	working Amp	Surge Amp (in 5s)	BEC	Data logging	Weight(in cl. wires)	Dimensions(m m)	Sell AUD	Pic
HB30040F	40A-3S	2-3S Lipo	40amp	65amp	5v,2A linear	NO	26g	59x23x10	24.83	
HB60090F	90A-6S	2-6S Lipo	90amp	110amp	5V,3.5A switching	NO	103g	90x36x20	62.91	
HB60120F	120A-6S	2-6S Lipo	120amp	150amp	5V,3.5A switching	NO	108g	90x36x20	67.87	
HB60120L	Pro 120A-6S	2-6S Lipo	120amp	150amp	5V,3.5A switching	NO	112g	96x30x20	81.11	
HB60220L	Pro 220A-6S	2-6S Lipo	220amp	300amp	5V,3.5A switching	NO	164g	104x41x22	105.95	
HB80100L	Pro 100A-8S	4-8S Lipo	100amp	150amp	Couple-OPTO	NO	115g	96x30x20	76.15	
HB80200L	Pro 200A-8S	4-8S Lipo	200amp	240amp	Couple-OPTO	NO	164g	104x41x22	102.64	
HBC0080L	Pro 80A-12S	4-12S Lipo	80amp	120amp	Couple-OPTO	NO	117g	96x30x20	81.11	

HBC0150L	Pro 150A-12S	4-12S Lipo	150amp	200amp	Couple-OPTO	NO	164g	104x41x22	124.16	
HBC0240L	Pro 240A-12S II (water-resistant)	4-12S Lipo	240amp	300amp	Couple-OPTO	NO	280g	138x60x20	273.14	
HBC0240L (CW)	Pro 240A-12S II (completely water-proof)	4-12S Lipo	240amp	300amp	Couple-OPTO	NO	350g	138x60x22	296.32	
HBFO300L(lite)	Pro 300A-15S (lite)	4-15S Lipo	300amp	380amp	Couple-OPTO	Yes	280g	119x70x17	304.59	
HBFO300L	Pro 300A-15S (completely water-proof)	4-15S Lipo	300amp	380amp	Couple-OPTO	NO	495g	119x72x27	329.43	
HB61090F	90A-6S	2-6S Lipo	90amp	110amp	5V,3.5A switching	Yes	103g	90x36x20	96.01	
HB61120F	120A-6S	2-6S Lipo	120amp	150amp	5V,3.5A switching	Yes	108g	96x30x20	102.64	
HB61120L	Pro+ 120A-6S	2-6S Lipo	120amp	150amp	5V,3.5A switching	Yes	112g	104x41x22	110.91	
HB61220L	Pro+ 220A-6S	2-6S Lipo	220amp	300amp	5V,3.5A switching	Yes	164g	96x30x20	137.40	
HB81100L	Pro+ 100A-8S	4-8S Lipo	100amp	150amp	Couple-OPTO	Yes	115g	104x41x22	102.64	
HB81200L	Pro+ 200A-8S	4-8S Lipo	200amp	240amp	Couple-OPTO	Yes	164g	96x30x20	129.12	
HBC1240L	Pro+ 240A-12S II NEW (water-resistant)	4-12S Lipo	240amp	300amp	Couple-OPTO	Yes	280g	138x60x20	301.28	

HBC1240L (cw)	Pro+ 240A-12S II (completely water-proof) NEW	4-12S Lipo	240amp	300amp	Couple-OPTO	Yes	350g	138×60×22	326.11	
HBF1300L(lite)	Pro+ 300A-15S (lite)	4-15S Lipo	300amp	380amp	Couple-OPTO	Yes	280g	119×70×17	337.70	
HBF1300L(cw)	Pro+ 300A-15S (completely water-proof)	4-15S Lipo	300amp	380amp	Couple-OPTO	Yes	495g	119×72×27	362.53	

Accessories

Item No	Products	Description	Weight(in cl. wires)	Dimensions(m m)	Sell AUD	Pic
H#002	Hifei UBEC-6S	2-6S Lipo, Switching BEC continuous 3A with 4A in peak	10g	39×16×6	8.28	
H#003	Hifei USB Linker	connector be used to connect ESC to PC	6g	53×16×7	11.59	
H#004	Hifei Program Box	Fully program Kingkong series, ePuma seris and Swordfish series ESC	73g	85×80×19	21.52	
H#005	Hifei Caps' Pool	4X 63v 470uF capacitors	10g	39×28×29	10.76	
H#006	Multi-function terminal I	pecially desiged for Fulcrum/ Swordfish Pro 300A ESC	30g	59×20×26	16.55	
H#007	Multi-function terminal II	pecially desiged for Fulcrum/ Swordfish Pro 300A ESC	40g	75×20×26	31.45	

H#008	Wifi Dongle	Wifi Dongle for KIII pro and X series	6g		62.91	
-------	-------------	---------------------------------------	----	--	-------	--

195

215